Pending Claims:

1   1. (original) A system for associating historical information with corresponding

2   sensory data received from a recording device and for performing functional operations on the

3   sensory data, the sensory data including a plurality of sensory data elements, said system

4   comprising:

5   a memory for storing the sensory data and associated historical information;

6   a display for viewing the sensory data stored in the memory;

7   a computing device coupled to said memory and said display, said computing

8   device operable to generate a plurality of historical data elements corresponding to the historical

9   information, at least one historical data element being uniquely associated with a corresponding

10   sensory data element; and

11   an input device coupled to said computing device for selecting a functional

12   operation to be applied to at least one sensory data element, said computing device forming at

13   least one historical data element and corresponding historical information.

1   2. (original) The system according to claim 1, wherein the sensory data includes at

2   least one of the following:

3   visual, auditory, aural, pressure, and temperature.

1   3. (original) The system according to claim 1, wherein the historical information

2   includes data representative of the functional operations performed on at least one sensory data

3   element.

1   4. (original) The system according to claim 1, wherein the historical data elements are

2   binary values corresponding to the historical information.

2

1   5. (original)   The system according to claim 1, wherein each of the at least one

2   historical data element is concatenated with the uniquely associated sensory data element.

1   6. (original)   The system according to claim 1, wherein the sensory data remains

2   unmodified.

1   7. (original)   The system according to claim 1, wherein said computing device renders

2   the sensory data according to the historical data elements and corresponding historical

3   information.

1   8. (original)   A system for preserving historical operations associated with sensory

2   data, the system comprising:

3   a memory for storing the sensory data and historical information representative of

4   the historical operations;

5   a processor, coupled to said memory, operable to generate the historical

6   information based upon the historical operations being performed, said processor further

7   generating historical data elements associated with the historical information, and corresponding

8   the historical data elements to the sensory data; and

9   a storage medium coupled to said processor for storing the sensory data, historical

10   information, and historical data elements.

1   9. (original)   The system according to claim 8, wherein the sensory data includes a

2   plurality of sensory data elements having at least one historical data element corresponding

3   therewith.

1   10. (original) The system according to claim 9, wherein the at least one historical data

2   element is appended to a corresponding sensory data element.

1   11. (original) The system according to claim 8, further comprising a data port, coupled

2   to said processor, operable to communicate the sensory data.

1   12. (original) The system according to claim 8, further comprising a display, coupled to

2   said processor, for displaying at least a portion of the sensory data as affected by the historical

3   operations.

1   13. (original) The system according to claim 8, wherein the sensory data and historical

2   data elements are stored in a datafile.

1   14. (original) A method for maintaining functional operations applied to sensory data,

2   the method comprising:

3   forming a plurality of first and second data fields having one-to-one

4   correspondence, a first data field including a sensory data element, and a second data field

5   including an historical data element corresponding to at least one functional operation performed

6   on the sensory data element; and

7   storing the plurality of first and second data fields.

1   15. (original) The method according to claim 14, wherein the first and second data

2   fields are concatenated.

1   16. (original) The method according to claim 14, further comprising generating indicia

2   representative of the at least one functional operation.

4

1   17. (original) The method according to claim 16, further comprising generating an end-

2   of-operation identifier after said generating indicia.

1   18. (original) The method according to claim 14, wherein the sensory data is unaltered

2   by the at least one functional operation.

1   19. (original) The method according to claim 14, wherein the historical data element is

2   indicative of applicability of the corresponding at least one functional operation to the

3   corresponding sensory data element.

1   20. (original) A system for generating sensory data and historical information, the

2   system comprising:

3   means for recording sensory information;

4   means for converting the sensory information into sensory data;

5   at least one measuring device, associated with said means for recording, for

6   measuring input parameters while recording the sensory information;

7   a processing unit coupled to said at least one measuring device, said processing

8   unit generating historical information and associated historical data elements based on the

9   measured input parameters, said processing unit further corresponding the historical data

10 elements with the sensory data, the historical data elements being indicative of applicability of

11 the associated historical information to the corresponding sensory data;

12   memory coupled to said processing unit, for storing the sensory data and

13 historical data elements; and

14   a communication port, coupled to said processing unit, for communicating the

15 sensory data and historical data elements.

5

1   21. (original) The system according to claim 20, wherein the sensory data includes a

2   plurality of sensory data elements, at least one sensory data element having at least one historical

3   data element concatenated thereto.

1   22. (original) The system according to claim 21, wherein the at least one historical data

2   element is a binary value indicative of applicability of the generated historical information to at

3   least one sensory data element.

1   23. (original) The system according to claim 22, wherein the sensory information is at

2   least one of the following:

3   visual, auditory, aural, pressure, and temperature.

1   24. (original) The system according to claim 20, wherein the historical information

2   includes functional operations performed on the sensory data.

1   25. (original) The system according to claim 20, wherein the sensory data, historical

2   information, and historical data elements are stored in a single datafile.

1   26. (original) A system for performing functional operations on sensory data and

2   maintaining the functional operations applied to the sensory data as historical information, the

3   system comprising:

4   a processor;

5   software, operating on said processor, for performing the functional operations on

6   at least one sensory data element, said processor generating historical information representative

7   of the functional operations, and at least one historical data element associated with the historical

8   information, the at least one historical data element further being associated with the at least one

9   sensory data element; and

10   a display coupled to said processor, for displaying a rendered image of the

11   sensory data as modified by the functional operations.

1   27. (original) The system according to claim 26, wherein the at least one historical data

2   element is concatenated to the at least one sensory data element.

1   28. (original) The system according to claim 26, wherein the sensory data is

2   unmodified.

1   29. (original) A computer-readable medium having stored thereon sequences of

2   instructions, the sequences of instructions, when executed by a processor, causes the processor

3   to:

4   perform a functional operation on at least one sensory data element;

5   generate at least one historical information data element representative of the

6   functional operation;

7   generate an historical data element associated with the at least one historical

8   information data element; and

9   concatenate the historical data element with the at least one sensory data element.

1   30. (original) The computer-readable medium according to claim 29, wherein the

2   sequences of instructions further cause the processor to render the at least one sensory data

3   element as altered by the functional operation.

1   31. (original) A system for distributing a sensory datafile having historical information

2   associated therewith, the system comprising:

3   a network for communicating information between at least two points coupled to

4   said network; and

5   a server, located at a first point, operable to communicate a datafile including

6   sensory data and historical data elements, at least one historical data element being concatenated

7   to a sensory data element and indicative of at least one functional operation performed on the

8   sensory data element.

1   32. (original) The system according to claim 31, wherein the datafile further includes

2   historical information representative of the functional operations.

1   33. (original) The system according to claim 31, further comprising a parser, in

2   communication with said server, operable to modify the sensory data according to said historical

3   data elements and at the at least one functional operation.

1   34. (original) The system according to claim 33, wherein the sensory data is

2   unmodified.

1   35. (original) The system according to claim 33, further comprising a database, coupled

2   to said parser, for storing information representative of permission for a licensee to modify the

3   datafile.

1   36. (original) The system according to claim 31, wherein said network includes one of a

2   local area network, wide area network, wireless network, and the Internet.

1   37. (original) A method for generating a sensory datafile being capable of maintaining a

2   plurality of functional operations applied to sensory data, said method comprising:

3   receiving the sensory data;

4   generating historical information representative of a functional operation applied

5   to at least one sensory data element; and

6   appending at least one historical data element to the at least one sensory data

7   element, the at least one historical data element identifying applicability of the historical

8   information to the associated at least one sensory data element.

1   38. (original) The method according to claim 37, wherein each of the sensory data

2   elements is appended by at least one historical data element.

1   39. (original) A system, comprising:

2   a computing device operable to receive a datafile including sensory data and

3   associated historical information, the historical information being representative of functional

4   operations applied to at least one sensory data element.

1   40. (original) The system according to claim 39, wherein the sensory data includes a

2   plurality of sensory data elements, each sensory data element having at least one historical data

3   element appended thereto, and indicative of at least one historical information data element

4   being applied to the associated sensory data element.

1   41. (original) The system according to claim 39, wherein said computing device is

2   further operable to render the sensory data as affected by the historical information.

1   42. (original) The system according to claim 39, wherein said computing device further

2   is operable to undo historical information applied to the sensory data.

10

AMENDMENTS TO THE DRAWINGS

The attached replacement sheet(s) of drawings replaces all of the original Figures 1A, 1B

and 2-9. There are 8 replacement drawing sheets..

Please replace the original Figures 1A, 1B, and 2-9 with replacement Figures 1A, 1B and

2-9 found on the attached Drawing sheets 1-8. No new matter has been added. Each

replacement drawing sheet is identified in the top margin as a "REPLACEMENT SHEET".